



Sustainable insulation solutions

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Issuing Date 15-Dec-2020

Revision Date 15-Dec-2020

Revision Number 1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product Name ISOVER Sound Deadening Floor Slab

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Mineral wool for thermal, acoustic and fire protection insulation

Uses advised against No specific uses advised against are identified

### 1.3. Details of the supplier of the safety data sheet

#### Supplier

Saint-Gobain Construction Products (Ireland) Limited  
Unit 4 Kilcarbery Business Park  
Nangor Road  
Dublin 22  
D22 R2Y7  
Ireland  
Tel: +353 (0)1 629 8444

#### For further information, please contact

E-mail address [info@isover.ie](mailto:info@isover.ie)

### 1.4. Emergency telephone number

Emergency telephone ROI: 1800 744480  
NI: 0845 3990159  
(Monday - Friday, 9am - 5pm)

Europe emergency contact number: 112

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### *Regulation (EC) No 1272/2008*

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

### 2.2. Label elements

#### **Hazard statements**

Not classified

#### **Additional information**

As supplied, this product does not meet the requirements for labelling

### 2.3. Other hazards

May cause temporary skin irritation by mechanical action. Cutting and handling may create dust. Product dust may be irritating to eyes, skin and respiratory system.

### SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Not applicable

#### 3.2 Mixtures

This product is an article: Mineral wool slab.

Product may contain small quantities of water-repellent additives, coupling agent, adhesive and / or facing.

Chemical name	Weight-%	REACH registration number	EC No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Mineral wool -	50 - 100	-	-	Not classified [C]	-	-	-
Terpolymer binder -	0 - 5	-	-	Not Classified	-	-	-
Mineral oil 8042-47-5	0 - 0.5	-	232-455-8	Not Classified [C]	-	-	-

[C] - Components with occupational exposure limits and/or biological occupational exposure limits requiring monitoring

**Full text of H- and EUH-phrases: see section 16**

#### Acute Toxicity Estimate

**No information available**

#### **Additional information**

Note: EU Index Number: 650-016-00-2 [Man-made vitreous (silicate) fibres with random orientation with alkaline and alkali earth oxides (Na<sub>2</sub>O+K<sub>2</sub>O+CaO+ MgO+BaO) content greater than 18% by weight and fulfilling one of the CLP Regulation Annex VI Note Q conditions].

This product does not contain candidate substances of very high concern at a concentration  $\geq 0.1\%$  (Regulation (EC) No. 1907/2006 (REACH), Article 59)

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

<b>General advice</b>	Get medical attention if irritation or other symptoms occur. Show this safety data sheet to the doctor in attendance.
<b>Inhalation</b>	Remove person to fresh air and keep comfortable for breathing. If symptoms persist, call a doctor.
<b>Eye contact</b>	Rinse thoroughly with plenty of water, also under the eyelids. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

**Skin contact** Wash skin with soap and water. Take off contaminated clothing and wash it before reuse. Get medical attention if irritation develops and persists.

**Ingestion** Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.

#### **4.2. Most important symptoms and effects, both acute and delayed**

**Symptoms** Product dust may be irritating to eyes, skin and respiratory system. May cause temporary skin irritation by mechanical action.

#### **4.3. Indication of any immediate medical attention and special treatment needed**

**Note to doctors** Treat symptomatically.

### **SECTION 5: Firefighting measures**

#### **5.1. Extinguishing media**

**Suitable Extinguishing Media** Water spray, carbon dioxide (CO<sub>2</sub>), dry chemical, alcohol-resistant foam. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable extinguishing media** Full water jet.

#### **5.2. Special hazards arising from the substance or mixture**

**Specific hazards arising from the chemical** The product does not pose a fire hazard, however packaging materials and facings may burn.

**Hazardous combustion products** Thermal decomposition can lead to release of irritating gases and vapours. Carbon monoxide. Carbon dioxide (CO<sub>2</sub>).

#### **5.3. Advice for firefighters**

**Specific/special fire-fighting measures** Fires need to be assessed to determine appropriate protocols and safety measures for firefighting, including establishing safe zones, extinguishing media to be used, firefighter protection, and actions to control or extinguish the fire.

**Special protective equipment for fire-fighters** Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

### **SECTION 6: Accidental release measures**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Ensure adequate ventilation. Use personal protective equipment as required. Minimise dust generation and accumulation. Avoid breathing dust. In case of insufficient ventilation, wear suitable respiratory equipment.

**For emergency responders** Use personal protection recommended in Section 8.

#### **6.2. Environmental precautions**

**Environmental precautions** See Section 12 for additional Ecological Information.

#### **6.3. Methods and material for containment and cleaning up**

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Take up mechanically, placing in appropriate containers for disposal. Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

#### 6.4. Reference to other sections

**Reference to other sections** See section 8 for more information. See section 13 for more information.

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

**Advice on safe handling** Handle in accordance with good industrial hygiene and safety practice. Avoid unnecessary handling of unwrapped product. Ensure adequate ventilation. Avoid generation of dust. Do not breathe dust. If cutting material, use sharp hand tools and avoid power tools. Wash hands thoroughly after handling.

**General hygiene considerations** Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of equipment, work area and clothing is recommended. Wash hands and face before breaks and immediately after handling the product. Do not eat, drink or smoke when using this product. Keep away from food, drink and animal feedingstuffs.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep/store only in original container. Keep in a dry, cool and well-ventilated place.

### 7.3. Specific end use(s)

**Specific use(s).**

The identified uses for this product are detailed in Section 1.2

## **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

**Exposure Limits**

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Mineral wool -	-	-	-	TWA: 6.0 mg/m <sup>3</sup> TWA: 1.0 fiber/cm <sup>3</sup>	TWA: 5 mg/m <sup>3</sup> TWA: 2 fiber/cm <sup>3</sup>
Chemical name	France	Germany	Germany MAK	Greece	Hungary
Mineral oil 8042-47-5	-	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup> Peak: 20 mg/m <sup>3</sup>	-	TWA: 5 mg/m <sup>3</sup>
Chemical name	Ireland	Italy	Italy REL	Latvia	Lithuania
Mineral wool -	TWA: 1 fibre/cm <sup>3</sup> TWA: 5 mg/m <sup>3</sup> STEL: 3 fibre/cm <sup>3</sup> STEL: 15 mg/m <sup>3</sup>	-	-	TWA: 3 fiber/cm <sup>3</sup> air	-
Mineral oil 8042-47-5	-	-	-	TWA: 5 mg/m <sup>3</sup>	-
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
Mineral wool -	-	-	-	-	TWA: 1 fiber/cm <sup>3</sup>
Chemical name	Portugal	Romania	Slovakia	Slovenia	Spain
Mineral oil 8042-47-5	-	-	-	TWA: 5 mg/m <sup>3</sup> STEL: STEL mg/m <sup>3</sup>	-
Chemical name	Sweden		Switzerland		United Kingdom
Mineral wool	-		-		TWA: 2 fibre/mL

-			TWA: 5 mg/m <sup>3</sup>
Mineral oil 8042-47-5	-	TWA: 5 mg/m <sup>3</sup>	-

**Derived No Effect Level (DNEL)** No information available.

**Predicted No Effect Concentration (PNEC)** No information available.

## 8.2. Exposure controls

**Engineering controls** As this product contains ingredients with exposure limits, process enclosures, local exhaust ventilation or other engineering controls should be used to keep worker exposure below any statutory or recommended limits, if use generates dust, fumes, gas, vapour or mist. Provide extract ventilation at the points where emissions occur. Ensure the ventilation system is regularly maintained and tested.

### **Personal protective equipment**

**Eye/face protection** If working with products above head height or in restricted space: Safety glasses with side shields. Eye protection must conform to standard EN 166.

**Hand protection** Wear suitable gloves to avoid itching. Gloves must conform to standard EN 374.

**Skin and body protection** No special protective equipment required.

**Respiratory protection** No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Disposable filtering half mask respirators should comply with European Standard EN149 or EN405.

FFP1 or FFP2.

**General hygiene considerations** Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of equipment, work area and clothing is recommended. Wash hands and face before breaks and immediately after handling the product. Do not eat, drink or smoke when using this product. Keep away from food, drink and animal feedingstuffs.

**Environmental exposure controls** Avoid creating dust.

## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Slab
<b>Physical state</b>	Solid
<b>Colour</b>	Yellow, green
<b>Odour</b>	Odourless
<b>Odour threshold</b>	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
<b>Melting point / freezing point</b>	> 1000 °C	None known
<b>Initial boiling point and boiling range</b>	No data available	None known
<b>Flammability</b>	No data available	None known
<b>Flammability Limit in Air</b>		None known
<b>Upper flammability or explosive limits</b>	No data available	
<b>Lower flammability or explosive</b>	No data available	

<b>limits</b>		
<b>Flash point</b>	No data available	None known
<b>Autoignition temperature</b>	No data available	None known
<b>Decomposition temperature</b>	> 150 °C	Organic binder
<b>pH</b>	No data available	None known
<b>pH (as aqueous solution)</b>	No data available	No information available
<b>Kinematic viscosity</b>	No data available	None known
<b>Dynamic viscosity</b>	No data available	None known
<b>Water solubility</b>	Insoluble in water (<0.1 mg/L)	None known
<b>Solubility(ies)</b>	No data available	None known
<b>Partition coefficient</b>	No data available	None known
<b>Vapour pressure</b>	No data available	None known
<b>Relative density</b>	No data available	None known
<b>Bulk density</b>	20 - 250 kg/m <sup>3</sup>	
<b>Liquid Density</b>	No data available	
<b>Vapour density</b>	No data available	None known
<b>Particle characteristics</b>		
<b>Particle Size</b>	No information available	
<b>Particle Size Distribution</b>	No information available	

## 9.2. Other information

### 9.2.1. Information with regards to physical hazard classes

Not applicable > 150 °C > 150 °C

### 9.2.2. Other safety characteristics

No information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

**Reactivity** None under normal use conditions.

### 10.2. Chemical stability

**Stability** Stable under normal conditions.

### **Explosion data**

**Sensitivity to mechanical impact** None.

**Sensitivity to static discharge** None.

### 10.3. Possibility of hazardous reactions

**Possibility of hazardous reactions** None under normal processing.

### 10.4. Conditions to avoid

**Conditions to avoid** Excessive heat.

### 10.5. Incompatible materials

**Incompatible materials** None known based on information supplied.

### 10.6. Hazardous decomposition products

**Hazardous decomposition products** None known based on information supplied. Above 150°C, the organic binder will decompose: Carbon oxides. Water.

**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Information on likely routes of exposure****Product Information**

<b>Inhalation</b>	Specific test data for the substance or mixture is not available. Inhalation of dust in high concentration may cause irritation of respiratory system.
<b>Eye contact</b>	Specific test data for the substance or mixture is not available. Dust contact with the eyes can lead to mechanical irritation.
<b>Skin contact</b>	Specific test data for the substance or mixture is not available. Contact with dust can cause mechanical irritation or drying of the skin.
<b>Ingestion</b>	Specific test data for the substance or mixture is not available. May cause irritation.

**Symptoms related to the physical, chemical and toxicological characteristics**

<b>Symptoms</b>	Product dust may be irritating to eyes, skin and respiratory system. Fibres may cause mechanical irritation.
-----------------	--

**Numerical measures of toxicity**

Based on available data, the classification criteria are not met

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Mineral oil	> 5000 mg/kg ( Rat )	-	-

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Skin corrosion/irritation** Based on available data, the classification criteria are not met.

Component Information	
Mineral wool (-)	
Method	OECD Test No. 404: Acute Dermal Irritation/Corrosion
Results	non-irritant

**Serious eye damage/eye irritation** Based on available data, the classification criteria are not met.

Component Information	
Mineral wool (-)	
Results	non-irritant

**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

Component Information	
Mineral wool (-)	
Results	Not a skin sensitiser

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met. Note: EU Index Number: 650-016-00-2 [Man-made vitreous (silicate) fibres with random orientation with alkaline and

alkali earth oxides (Na<sub>2</sub>O+K<sub>2</sub>O+CaO+ MgO+BaO) content greater than 18% by weight and fulfilling one of the CLP Regulation Annex VI Note Q conditions].

Component Information	
Mineral wool (-)	
Results	Not Carcinogenic

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT - single exposure** Based on available data, the classification criteria are not met.

**STOT - repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** Not applicable.

### 11.2. Information on other hazards

#### 11.2.1. Endocrine disrupting properties

**Endocrine disrupting properties** This product does not contain any known or suspected endocrine disruptors.

#### 11.2.2. Other information

**Other adverse effects** No information available.

## **SECTION 12: Ecological information**

### 12.1. Toxicity

**Ecotoxicity** Not considered to be harmful to aquatic life.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Mineral wool	EC50: >1000 mg/L (3d, Pseudokirchneriella subcapitata)	LC50: >1000 mg/L (96h, Danio rerio)	-	EC50: >1000 mg/L (3d, Daphnia magna)
Mineral oil	-	LC50: >10000mg/L (96h, Lepomis macrochirus)	-	-

### 12.2. Persistence and degradability

**Persistence and degradability** The methods for determining biodegradability are not applicable to inorganic substances.

### 12.3. Bioaccumulative potential

**Bioaccumulation** Not likely to bioaccumulate.

Chemical name	Partition coefficient
Mineral oil	>6

### 12.4. Mobility in soil

**Mobility in soil** No information available.

**Mobility** Insoluble in water.



**12.5. Results of PBT and vPvB assessment**

**PBT and vPvB assessment** The product does not contain any substance(s) classified as PBT or vPvB.

Chemical name	PBT and vPvB assessment
Mineral wool	The substance is not PBT / vPvB
Mineral oil	The substance is not PBT / vPvB PBT assessment does not apply

**12.6. Endocrine disrupting properties**

**Endocrine disrupting properties** This product does not contain any known or suspected endocrine disruptors.

**12.7. Other adverse effects**

**Other adverse effects** None known based on information supplied.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods**

**Waste from residues/unused products** Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

**Waste codes / waste designations according to EWC / AVV** According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

**SECTION 14: Transport information****IMDG**

- 14.1 UN number or ID number Not regulated  
 14.2 UN proper shipping name Not regulated  
 14.3 Transport hazard class(es) Not regulated  
 14.4 Packing group Not regulated  
 14.5 Environmental hazards Not applicable  
     Marine pollutant Not applicable  
 14.6 Special Precautions for Users  
     Special Provisions None  
 14.7 Maritime transport in bulk according to IMO instruments No information available

**RID**

- 14.1 UN number Not regulated  
 14.2 UN proper shipping name Not regulated  
 14.3 Transport hazard class(es) Not regulated  
 14.4 Packing group Not regulated  
 14.5 Environmental hazards Not applicable  
 14.6 Special Precautions for Users  
     Special Provisions None

**ADR**

- 14.1 UN number or ID number Not regulated

14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special Precautions for Users	
Special Provisions	None

**IATA**

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special Precautions for Users	
Special Provisions	None
Note:	None

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Chemical name	French RG number	Title
Mineral oil 8042-47-5	RG 36bis	-

**European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

**Authorisations and/or restrictions on use:**

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV). This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

**Persistent Organic Pollutants**

Not applicable

**Ozone-depleting substances (ODS) regulation (EC) 1005/2009** Not applicable

Chemical name	Plant protection products directive (91/414/EEC)
Mineral oil - 8042-47-5	Plant protection agent

**International Inventories**

TSCA	Contact supplier for inventory compliance status
DSL/NDSL	Contact supplier for inventory compliance status
EINECS/ELINCS	Contact supplier for inventory compliance status
ENCS	Contact supplier for inventory compliance status
IECSC	Contact supplier for inventory compliance status
KECL	Contact supplier for inventory compliance status

**PICCS** Contact supplier for inventory compliance status  
**AICS** Contact supplier for inventory compliance status

**Legend:**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**AICS** - Australian Inventory of Chemical Substances

**15.2. Chemical safety assessment**

**Chemical Safety Report** Not applicable

**SECTION 16: Other information****Key or legend to abbreviations and acronyms used in the safety data sheet****Legend**

SVHC: Substances of Very High Concern for Authorisation:

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals  
 vPvB Very Persistent and very Bioaccumulative (vPvB) Chemicals

**Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation

**Key literature references and sources for data used to compile the SDS**

U.S. Environmental Protection Agency ChemView Database  
 European Food Safety Authority (EFSA)  
 EPA (Environmental Protection Agency)  
 Acute Exposure Guideline Level(s) (AEGl(s))  
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
 U.S. Environmental Protection Agency High Production Volume Chemicals  
 Food Research Journal  
 Hazardous Substance Database  
 International Uniform Chemical Information Database (IUCLID)  
 Japan GHS Classification  
 Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)  
 NIOSH (National Institute for Occupational Safety and Health)  
 National Library of Medicine's ChemID Plus (NLM CIP)  
 National Toxicology Program (NTP)  
 New Zealand's Chemical Classification and Information Database (CCID)  
 Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications  
 Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme  
 Organisation for Economic Co-operation and Development Screening Information Data Set  
 World Health Organization

**Issuing Date** 15-Dec-2020

**Revision Date** 15-Dec-2020

**Revision Note** Initial Release.

**Further information** The glass wool fibres of this product are exonerated from the carcinogenic classification according to Regulation (EC)1272/2008 as they fulfil the criteria of the nota Q.

EUCEB, European Certification Board of Mineral Wool Products - [www.euceb.org](http://www.euceb.org), is a voluntary initiative by the mineral wool industry. It is an independent certification authority that guarantees that products are made of fibres, which comply with the exoneration criteria for carcinogenicity (Note Q) of the Regulation (EC) 1272/2008.

To ensure that fibres comply with the exoneration criteria all tests and supervision procedures are carried out by independent, expert qualified institutions. EUCEB ensures that the producers of mineral wool have put in place self-control measures.

The products responding to the EUCEB certification are recognized by the EUCEB logo put on the packaging.

The mineral wool producers commit to EUCEB to:

- supply sampling and analysis reports established by laboratories recognized by EUCEB, proving that the fibres comply with one of the four criteria of exoneration described in Note Q of the Regulation (EC) 1272/2008
- be controlled, twice per year, of each production unit by an independent third party recognized by EUCEB (sampling and conformity to the initial chemical composition)
- put in place procedures of internal self-control in each production unit.

Moreover, in 2001, the International Agency for Research on Cancer, re-evaluated and reclassified mineral wool (insulation glass wool, rock (stone) wool and slag wool) from Group 2B (possibly carcinogenic) to Group 3 « agent which cannot be classified as for their carcinogenicity to humans ». (See Monograph Vol 81, <http://monographs.iarc.fr/>)

This SDS is not mandated under REACH Regulation (EC) No 1907/2006 and is provided for information only

**This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006**

#### **Disclaimer**

**The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.**

**End of Safety Data Sheet**